



# California Regional Water Quality Control Board

## San Diego Region



Linda S. Adams  
Secretary for  
Environmental Protection

Over 50 Years Serving San Diego, Orange, and Riverside Counties  
Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA

Arnold Schwarzenegger  
Governor

9174 Sky Park Court, Suite 100, San Diego, California 92123-4353  
(858) 467-2952 • Fax (858) 571-6972  
<http://www.waterboards.ca.gov/sandiego>

October 1, 2010

**CERTIFIED MAIL:**  
7010 1060 0000 4952 5569

Ms. Michele Stress  
County of San Diego  
Department of Public Works  
Mail Stop O-383  
5201 Ruffin Road, Suite D  
San Diego, California 92123

**In reply refer to:**  
210029:cpowell

Dear Ms. Stress:

**SUBJECT: CLEANUP AND ABATEMENT ORDER NO. R9-2010-0067, AND  
MONITORING AND REPORTING PROGRAM NO. R9-2010-0068 FOR  
BONSALL SANITARY LANDFILL, SAN DIEGO COUNTY, CALIFORNIA**

Enclosed are Tentative Cleanup and Abatement Order No. R9-2010-0067 (the CAO) and Tentative Monitoring and Reporting Program No. R9-2010-0068 (the M&RP). When finalized, these tentative Orders will be issued by the California Regional Water Quality Control Board, San Diego Region (San Diego Water Board) to the County of San Diego (County). The CAO directs the County to cleanup and abate the effects of pollution and nuisance created by an unauthorized discharge of waste constituents from Bonsall Sanitary Landfill to waters of the state.

The attached M&RP would supersede Monitoring and Reporting Program Order No. 97-15, and establishes a Corrective Action Monitoring Program to evaluate the effectiveness of the corrective actions taken in response to the CAO. The CAO is issued pursuant to the San Diego Water Board's authority under California Water Code sections 13304 and 13267 and the M&RP is issued pursuant to the San Diego Water Board's authority under California Water Code section 13267. The first report required by the CAO and M&RP is due on **January 31, 2011**. Corrective action measures and additional reports are required according to the schedules provided in the CAO and M&RP.

Please review the requirements contained within the CAO and M&RP and note that all technical reports submitted to the San Diego Water Board must be accompanied by the certification, under penalty of law, that the information is true, accurate, and complete. Failure to meet the requirements of this Order may subject the District to further enforcement action by the San Diego Water Board, including administrative civil liability pursuant to Water Code section 13268 of up to \$1,000 per day and section 13350 or up to \$5,000 per day.

*California Environmental Protection Agency*


The San Diego Water Board is providing a draft copy of the CAO and M&RP for the County's and the public's review and comment. The draft CAO and M&RP will be made publicly available on our web page at:

[http://www.waterboards.ca.gov/sandiego/board\\_decisions/tentative\\_orders/index.shtml](http://www.waterboards.ca.gov/sandiego/board_decisions/tentative_orders/index.shtml)

The County and interested persons are invited to provide written comments to the San Diego Water Board during the public comment period. **The deadline for submitting written comments is 5:00 p.m. on October 14, 2010.** Written comments will be considered by the San Diego Water Board's Executive Officer prior to issuing the final CAO and M&RP. Comments should be provided in either MS WORD or pdf format by email to: [Cprowell@waterboards.ca.gov](mailto:Cprowell@waterboards.ca.gov). Comments on paper may also be submitted, but electronic format is preferred. Comments on paper should be submitted to: Ms. Cheryl Prowell, California Regional Water Quality Control Board, San Diego Region, 9174 Sky Park Court, Suite 100, San Diego, CA 92123-4340.

In the subject line of any response, please include the requested "in reply refer to" information located in the heading of this letter. For questions pertaining to the subject matter, please contact Ms. Cheryl Prowell at (858) 467-2745 or via email at [cprowell@waterboards.ca.gov](mailto:cprowell@waterboards.ca.gov).

Sincerely,



JAMES G. SMITH  
Assistant Executive Officer

JS:jc:jro:clp

Enclosures: Cleanup and Abatement Order No. R9-2010-0067  
Monitoring and Reporting Program Order No. R9-2010-0068

cc w/encl: Ms. Pam Raptis, San Diego County Local Enforcement Agency,  
[Pam.Raptis@sdcounty.ca.gov](mailto:Pam.Raptis@sdcounty.ca.gov)